

# **Results of Proficiency Test** Turbine Oil (used) May 2023

Organized by: Institute for Interlaboratory Studies

Spijkenisse, the Netherlands

Author:

ing. G.A. Oosterlaken-Buijs

**Correctors:** 

ing. R.J. Starink & ing. A. Ouwerkerk ing. A.S. Noordman-de Neef

Approved by:

Report:

iis23L05

July 2023

## **CONTENTS**

1	INTRODUCTION	3
2	SET UP	3
2.1	ACCREDITATION	3
2.2	PROTOCOL	3
2.3	CONFIDENTIALITY STATEMENT	3
2.4	SAMPLES	4
2.5	STABILITY OF THE SAMPLES	4
2.6	ANALYZES	5
3	RESULTS	5
3.1	STATISTICS	5
3.2	GRAPHICS	6
3.3	Z-SCORES	7
4	EVALUATION	7
4.1	EVALUATION PER TEST	8
4.2	PERFORMANCE EVALUATION FOR THE GROUP OF LABORATORIES	9
4.3	COMPARISON OF THE PROFICIENCY TEST OF MAY 2023 WITH PREVIOUS PTS	10

# Appendices:

1.	Data, statistical and graphic results	12
2.	Number of participants per country	31
3	Abbreviations and literature	32

#### 1 Introduction

Since 2013 the Institute for Interlaboratory Studies (iis) organizes a proficiency scheme for the analysis of used Turbine Oil every year. During the annual proficiency testing program 2022/2023 it was decided to continue the round robin for the analysis of used Turbine Oil.

In this interlaboratory study 41 laboratories in 29 countries registered for participation, see appendix 2 for the number of participants per country. In this report the results of the Turbine Oil (used) proficiency test are presented and discussed. This report is also electronically available through the iis website www.iisnl.com.

## 2 SET UP

The Institute for Interlaboratory Studies (iis) in Spijkenisse, the Netherlands, was the organizer of this proficiency test (PT). Sample analyzes for fit-for-use and homogeneity testing were subcontracted to an ISO/IEC17025 accredited laboratory. It was decided to send one sample used Turbine Oil in a 1 L bottle labelled #23072. The participants were requested to report rounded and unrounded test results. The unrounded test results were preferably used for statistical evaluation.

## 2.1 ACCREDITATION

The Institute for Interlaboratory Studies in Spijkenisse, the Netherlands, is accredited in agreement with ISO/IEC17043:2010 (R007), since January 2000, by the Dutch Accreditation Council (Raad voor Accreditatie). This PT falls under the accredited scope. This ensures strict adherence to protocols for sample preparation and statistical evaluation and 100% confidentiality of participant's data. Feedback from the participants on the reported data is encouraged and customer's satisfaction is measured on regular basis by sending out questionnaires.

## 2.2 PROTOCOL

The protocol followed in the organization of this proficiency test was the one as described for proficiency testing in the report 'iis Interlaboratory Studies: Protocol for the Organisation, Statistics and Evaluation' of June 2018 (iis-protocol, version 3.5). This protocol is electronically available through the iis website www.iisnl.com, from the FAQ page.

## 2.3 CONFIDENTIALITY STATEMENT

All data presented in this report must be regarded as confidential and for use by the participating companies only. Disclosure of the information in this report is only allowed by means of the entire report. Use of the contents of this report for third parties is only allowed by written permission of the Institute for Interlaboratory Studies. Disclosure of the identity of one or more of the participating companies will be done only after receipt of a written agreement of the companies involved.

#### 2.4 SAMPLES

A batch of approximately 80 liters of used Turbine Oil was obtained from a third party. After homogenization 65 amber glass bottles of 1 L were filled and labelled #23072. The homogeneity of the subsamples was checked by determination of Density at 15 °C in accordance with ISO12185 on 8 stratified randomly selected subsamples.

	Density at 15 °C in kg/L
sample #23072-1	0.86292
sample #23072-2	0.86292
sample #23072-3	0.86293
sample #23072-4	0.86293
sample #23072-5	0.86293
sample #23072-6	0.86292
sample #23072-7	0.86293
sample #23072-8	0.86293

Table 1: homogeneity test results of subsamples #23072

From the above test results the repeatability was calculated and compared with 0.3 times the reproducibility of the reference test method in agreement with the procedure of ISO13528, Annex B2 in the next table.

	Density at 15 °C in kg/L
r (observed)	0.00001
reference test method	ISO12185:96
0.3 x R (reference test method)	0.00015

Table 2: evaluation of the repeatability of subsamples #23072

The calculated repeatability is in agreement with 0.3 times the reproducibility of the reference test method. Therefore, homogeneity of the subsamples was assumed.

To each of the participating laboratories one 1 L bottle of used Turbine Oil labelled #23072 was sent on April 19, 2023. An SDS was added to the sample package.

## 2.5 STABILITY OF THE SAMPLES

The stability of used Turbine Oil packed in amber glass bottles was checked. The material was found sufficiently stable for the period of the proficiency test.

#### 2.6 ANALYZES

The participants were requested to determine: Total Acid Number, Color ASTM, Density at 15 °C, Flash Point (C.O.C. and PMcc), Insoluble Color Bodies, Kinematic Viscosity at 40 °C and 100 °C, Viscosity Index, Oxidation Stability RPVOT, Water, Water Separability at 54 °C distilled water and Level of Contamination (counts/mL and ISO4406 scale). Some extra information was asked about the determination of Total Acid Number.

It was explicitly requested to treat the sample as if it was a routine sample and to report the test results using the indicated units on the report form and not to round the test results, but report as much significant figures as possible. It was also requested not to report 'less than' test results, which are above the detection limit, because such test results cannot be used for meaningful statistical evaluations.

To get comparable test results a detailed report form and a letter of instructions are prepared. On the report form the reporting units are given as well as the reference test methods (when applicable) that will be used during the evaluation. The detailed report form and the letter of instructions are both made available on the data entry portal www.kpmd.co.uk/sgs-iis/. The participating laboratories are also requested to confirm the sample receipt on this data entry portal. The letter of instructions can also be downloaded from the iis website www.iisnl.com.

#### 3 RESULTS

During five weeks after sample dispatch, the test results of the individual laboratories were gathered via the data entry portal www.kpmd.co.uk/sgs-iis/. The reported test results are tabulated per determination in appendix 1 of this report. The laboratories are presented by their code numbers.

Directly after the deadline, a reminder was sent to those laboratories that had not reported test results at that moment. Shortly after the deadline, the available test results were screened for suspect data. A test result was called suspect in case the Huber Elimination Rule (a robust outlier test) found it to be an outlier. The laboratories that produced these suspect data were asked to check the reported test results (no reanalyzes). Additional or corrected test results are used for data analysis and the original test results are placed under 'Remarks' in the result tables in appendix 1. Test results that came in after the deadline were not taken into account in this screening for suspect data and thus these participants were not requested for checks.

## 3.1 STATISTICS

The protocol followed in the organization of this proficiency test was the one as described for proficiency testing in the report 'iis Interlaboratory Studies: Protocol for the Organisation, Statistics and Evaluation' of June 2018 (iis-protocol, version 3.5).

For the statistical evaluation the *unrounded* (when available) figures were used instead of the rounded test results. Test results reported as '<...' or '>...' were not used in the statistical evaluation.

First, the normality of the distribution of the various data sets per determination was checked by means of the Lilliefors-test, a variant of the Kolmogorov-Smirnov test and by the calculation of skewness and kurtosis. Evaluation of the three normality indicators in combination with the visual evaluation of the graphic Kernel density plot, lead to judgement of the normality being either 'unknown', 'OK', 'suspect' or 'not OK'. After removal of outliers, this check was repeated. If a data set does not have a normal distribution, the (results of the) statistical evaluation should be used with due care.

The assigned value is determined by consensus based on the test results of the group of participants after rejection of the statistical outliers and/or suspect data.

According to ISO13528 all (original received or corrected) results per determination were submitted to outlier tests. In the iis procedure for proficiency tests, outliers are detected prior to calculation of the mean, standard deviation and reproducibility. For small data sets, Dixon (up to 20 test results) or Grubbs (up to 40 test results) outlier tests can be used. For larger data sets (above 20 test results) Rosner's outlier test can be used. Outliers are marked by D(0.01) for the Dixon's test, by G(0.01) or DG(0.01) for the Grubbs' test and by F(0.01) for the Rosner's test. Stragglers are marked by F(0.01) for the Dixon's test, by F(0.01) for the Rosner's test. Both outliers and stragglers were not included in the calculations of averages and standard deviations.

For each assigned value the uncertainty was determined in accordance with ISO13528. Subsequently the calculated uncertainty was evaluated against the respective requirement based on the target reproducibility in accordance with ISO13528. In this PT the criterion of ISO13528, paragraph 9.2.1, was met for all evaluated tests. Therefore, the uncertainty of all assigned values may be negligible and need not be included in the PT report.

Finally, the reproducibilities were calculated from the standard deviations by multiplying them with a factor of 2.8.

## 3.2 GRAPHICS

In order to visualize the data against the reproducibilities from literature, Gauss plots were made, using the sorted data for one determination (see appendix 1). On the Y-axis the reported test results are plotted. The corresponding laboratory numbers are on the X-axis. The straight horizontal line presents the consensus value (a trimmed mean). The four striped lines, parallel to the consensus value line, are the +3s, +2s, -2s and -3s target reproducibility limits of the selected reference test method. Outliers and other data, which were excluded from the calculations, are represented as a cross. Accepted data are represented as a triangle.

Furthermore, Kernel Density Graphs were made. This is a method for producing a smooth density approximation to a set of data that avoids some problems associated with histograms. Also, a normal Gauss curve (dotted line) was projected over the Kernel Density Graph (smooth line) for reference. The Gauss curve is calculated from the consensus value and the corresponding standard deviation.

#### 3.3 Z-SCORES

To evaluate the performance of the participating laboratories the z-scores were calculated. As it was decided to evaluate the performance of the participants in this proficiency test (PT) against the literature requirements (derived from e.g. ISO or ASTM test methods), the z-scores were calculated using a target standard deviation. This results in an evaluation independent of the variation in this interlaboratory study.

The target standard deviation was calculated from the literature reproducibility by division with 2.8. In case no literature reproducibility was available, other target values were used, like Horwitz or an estimated reproducibility based on former iis proficiency tests.

When a laboratory did use a test method with a reproducibility that is significantly different from the reproducibility of the reference test method used in this report, it is strongly advised to recalculate the z-score, while using the reproducibility of the actual test method used, this in order to evaluate whether the reported test result is fit-for-use.

The z-scores were calculated according to:

```
z_{\text{(target)}} = \text{(test result - average of PT)} / \text{target standard deviation}
```

The  $z_{(target)}$  scores are listed in the test result tables in appendix 1.

Absolute values for z<2 are very common and absolute values for z>3 are very rare. Therefore, the usual interpretation of z-scores is as follows:

```
|z| < 1 good
1 < |z| < 2 satisfactory
2 < |z| < 3 questionable
3 < |z| unsatisfactory
```

## 4 **EVALUATION**

In this proficiency test some problems were encountered with the dispatch of the samples. Three participants reported test results after the final reporting date and one other participant did not report any test results. Not all participants were able to report all tests requested. In total 40 participants reported 494 numerical test results. Observed were 11 outlying test results, which is 2.2%. In proficiency tests outlier percentages of 3% - 7.5% are quite normal.

Not all data sets proved to have a normal Gaussian distribution. These are referred to as "not OK" or "suspect". The statistical evaluation of these data sets should be used with due care, see also paragraph 3.1.

## 4.1 EVALUATION PER TEST

In this section the reported test results are discussed per test. The test methods which were used by the various laboratories were taken into account for explaining the observed differences when possible and applicable. These test methods are also in the tables together with the original data in appendix 1. The abbreviations, used in these tables, are explained in appendix 3.

In the iis PT reports ASTM test methods are referred to with a number (e.g. D2270) and an added designation for the year that the test method was adopted or revised (e.g. D2270:10). When a method has been reapproved an "R" will be added and the year of approval (e.g. D2270:10R16).

<u>Total Acid Number</u>: This determination was problematic. No statistical outliers were observed. The calculated reproducibility is not in agreement with the requirements of ASTM D664-A:18e2 IP and BEP at 60 mL, nor with the requirements of IP and BEP at 125 mL.

When the test results for IP and BEP were evaluated separately, the

calculated reproducibilities are only in agreement with IP at 60 mL, not with the requirements of BEP at 60 mL and 125 mL and IP at 125 mL.

Remarkably, three participants still used pH 11 for BEP instead of pH 10. In test method ASTM D664-A:18e2 pH 10 is mentioned.

- test method ASTM D664-A:18e2 ph 10 is mentioned.
- <u>Color ASTM</u>: This determination was not problematic. Two statistical outliers were observed. The calculated reproducibility after rejection of the statistical outliers is in agreement with ASTM D1500:12R17.
- <u>Density at 15 °C</u>: This determination was not problematic. One statistical outlier was observed. The calculated reproducibility after rejection of the statistical outlier is in agreement with the requirements of ISO12185:96.
- <u>Flash Point C.O.C.</u>: This determination was not problematic. No statistical outliers were observed. The calculated reproducibility is in agreement with the requirements of ASTM D92:18.
- <u>Flash Point PMcc</u>: This determination was not problematic. No statistical outliers were observed. The calculated reproducibility is in agreement with the requirements of ASTM D93-A:20. Only four participants used procedure B.
- <u>Insoluble Color Bodies</u>: This determination was not problematic. No statistical outliers were observed. The calculated reproducibility is in agreement with the requirements of ASTM D7843:21.
- <u>Kinematic Viscosity at 40 °C</u>: This determination was not problematic. One statistical outlier was observed. The calculated reproducibility after rejection of the statistical outlier is in agreement with the requirements of ASTM D445:21e2.

Kinematic Viscosity at 100 °C: This determination was problematic. No statistical outliers were observed. The calculated reproducibility is not in agreement with the requirements of ASTM D445:21e2.

Viscosity Index: This determination was problematic. No statistical outliers were observed but one test result was excluded. The calculated reproducibility after rejection of the suspect data is not in agreement with the requirements of ASTM D2270:10R16.

Oxidation Stability RPVOT: In this PT the reported test results appear to be bimodally distributed depending on the procedure used. Therefore, the test results of ASTM D2272-A and D2272-B were evaluated separately.

> This determination was very problematic when ASTM D2272-A was used. No statistical outliers were observed. The calculated reproducibility is not at all in agreement with the requirements of ASTM D2272:22.

> This determination was problematic when ASTM D2272-B was used. One statistical outlier was observed. The calculated reproducibility after rejection of the statistical outlier is not in agreement with the requirements of ASTM D2272:22.

Water:

This determination was not problematic. No statistical outliers were observed. The calculated reproducibility is in agreement with the requirements of ASTM D6304:20 procedure B and A, but not with procedure C.

Water Separability at 54 °C, distilled water: This determination was not problematic. Two statistical outliers were observed over 3 parameters. All calculated reproducibilities are in agreement with the requirements of ASTM D1401:21.

Level of Contamination: This determination was problematic. Four statistical outliers were observed and fourteen other test results were excluded over 6 parameters. For the determination in counts/mL and for the determination in scale number is after rejection of the suspect data only the calculated reproducibility of particle size ≥ 4 µm in agreement with the requirements of ASTM D7647:10R18. The calculated reproducibilities of Particle sizes ≥ 6  $\mu$ m and  $\geq$  14  $\mu$ m are not in agreement with these requirements.

## 4.2 Performance evaluation for the group of Laboratories

A comparison has been made between the reproducibility as declared by the reference test method and the reproducibility as found for the group of participating laboratories. The number of significant test results, the average, the calculated reproducibility (2.8 \* standard deviation) and the target reproducibility derived from reference methods are presented in the next table.

Parameter	unit	n	average	2.8 * sd	R(lit)
Total Acid Number	mg KOH/g	37	0.10	0.08	0.06
Color ASTM		27	3.3	0.5	1
Density at 15 °C	kg/L	32	0.8630	0.0003	0.0005
Flash Point C.O.C.	°C	22	234.0	17.8	18
Flash Point PMcc	°C	32	216.3	13.9	15.4
Insoluble Color Bodies		15	13.1	11.6	12.6
Kinematic Viscosity at 40 °C	mm²/s	35	44.64	0.28	0.41
Kinematic Viscosity at 100 °C	mm²/s	34	6.911	0.079	0.057
Viscosity Index		28	111.4	3.1	2
Oxidation Stab. RPVOT D2272-A	minutes	9	1038	627	239
Oxidation Stab. RPVOT D2272-B	minutes	6	1837	578	427
Water	mg/kg	33	28.3	23.2	92.6
Water Separability at 54 °C, distille	ed water				
Time ≤ 3 mL emulsion	minutes	16	23.5	14.1	20
Time 37 mL water	minutes	16	23.9	14.5	20
Time to complete break	minutes	9	28.9	7.9	20
Level of Contamination					
≥ 4 µm (c)	counts/mL	19	30017	25091	33919
≥ 6 µm (c)	counts/mL	19	7009	8673	5327
≥ 14 µm (c)	counts/mL	19	270	434	364
≥ 4 µm (c)	ISO scale	20	22	1	2
≥ 6 µm (c)	ISO scale	20	20	2	1
≥ 14 µm (c)	ISO scale	20	15	2	2

Table 3: reproducibilities of tests on sample #23072

Without further statistical calculations it can be concluded that for many tests there is a good compliance of the group of participants with the reference test methods. The problematic tests have been discussed in paragraph 4.1.

## 4.3 COMPARISON OF THE PROFICIENCY TEST OF MAY 2023 WITH PREVIOUS PTS

	May 2023	May 2022	May 2021	May 2020	May 2019
Number of reporting laboratories	40	42	45	35	42
Number of test results	494	517	547	440	600
Number of statistical outliers	11	21	24	25	13
Percentage of statistical outliers	2.2%	4.1%	4.4%	5.7%	2.2%

Table 4: comparison with previous proficiency tests

In proficiency tests outlier percentages of 3% - 7.5% are quite normal.

The performance of the determinations of the proficiency tests was compared to the requirements of the reference test methods. The conclusions are given in the following table.

Parameter	May 2023	May 2022	May 2021	May 2020	May 2019
Total Acid Number	-	+	+/-	-	+
Color ASTM	+	+	-	+	+
Density at 15 °C	+	+	+/-	+/-	+
Flash Point C.O.C.	+/-	-	-	+/-	+/-
Flash Point PMcc	+/-	+	+	+	+
Insoluble Color Bodies	+/-	+	+	+	+/-
Kinematic Viscosity at 40 °C	+	-	+	-	-
Kinematic Viscosity at 100 °C	-		-		-
Viscosity Index	-	-	-		-
Oxidation Stability RPVOT	-	-			()
Water	++	++	-	++	++
Water Separability	+	-	++	+	+
Level of Contamination	-	-			()

Table 5: comparison determinations to the reference test methods

For results between brackets: no z-scores are calculated

## The following performance categories were used:


- ++ : group performed much better than the reference test method
- + : group performed better than the reference test method
- +/- : group performance equals the reference test method
- : group performed worse than the reference test method
- -- : group performed much worse than the reference test method
- n.e. : not evaluated


**APPENDIX 1** 

Determination of Total Acid Number on sample #23072; results in mg KOH/g

Doton	illiation of Total Atola Harris	or orroa	inpio mz	_0012, 1	Counte in mg recrirg	
lab	method	value	mark	z(targ)	End point determination	Volume titration solvent
178	D664-A	0.07		-1.54		
179	200171					
	D074					
225	D974	0.11		0.32		
237	D664-B	0.0691		-1.58	Inflection Point	125 mL
325	D664-A	0.11		0.32	Buffer End Point pH 10	125 mL
331	D664-A	0.108		0.22		
349	D664-A	0.10		-0.15	Buffer End Point pH 10	60 mL
360	D974	0.138		1.61	Inflection Point	60 mL
432	5014				IIIICCIOII I OIIIC	
	D004 A				Doffers Fred Deleter 1140	
451	D664-A	0.056		-2.19	Buffer End Point pH 10	60 mL
496	D664-A	0.094		-0.43	Buffer End Point pH 10	60 mL
603	D664-A	0.0808		-1.04	Inflection Point	125 mL
614	D664-A	0.11		0.32		
633	D664-A	0.0876		-0.72	Inflection Point	125 mL
657	D664-A	0.1407		1.74	Inflection Point	60 mL
663	D664-A	<0.10			Buffer End Point pH 10	60 mL
840	D664-B	0.103		-0.01	Buffer End Point pH 10	60 mL
862	D664-A	0.10		-0.15	Inflection Point	60 mL
901	D974	0.12		0.78		
912	D664-A	0.11		0.32		
963	D974	0.112		0.41		
974	D664-A	0.10		-0.15	Inflection Point	125 mL
1023	D8045	0.06		-2.00		
1059	ISO6619	0.00		2.17	Puffor End Doint nH 11	60 mL
					Buffer End Point pH 11	
1094	D664-A	0.0819		-0.99	Buffer End Point pH 10	60 mL
1146	D664-A	0.091		-0.56	Buffer End Point pH 10	125 mL
1262	ISO6618	0.16		2.63		
1417	D664-A	0.156	С	2.45	Buffer End Point pH 10	60 mL
1431	D664-A	0.099		-0.19	Inflection Point	60 mL
1435	D664-A	0.051		-2.42	Buffer End Point pH 10	100 mL
1569	D664-A	0.09	С	-0.61	Inflection Point	60 mL
1604	D664-A	0.1276	Ü	1.13	Inflection Point	60 mL
1665	D664-A	0.1270		-0.10		
					Inflection Point	60 mL
1943	ISO6618	0.162		2.73		
2124						
6002	D664-A	0.090		-0.61	Inflection Point	60 mL
6016	D664-A	0.107		0.18	Inflection Point	60 mL
6283	D664-A	0.085		-0.84	Buffer End Point pH 11	60 mL
6286	ISO6619	0.085		-0.84	Inflection Point	60 mL
6333	D8045	0.09		-0.61		60 mL
6532	D664-A	0.112		0.41	Buffer End Point pH 11	60 mL
					Buffer End Point only	Inflection Point only
	normality	OK			OK	OK
	n	37			12	14
	outliers	0			0	0
	mean (n)	0.1032			0.0992	0.1011
	st.dev. (n)	0.02753			0.03146	0.02112
	R(calc.)	0.0771			0.0881	0.0591
	st.dev.(D664-A:18e2 BEP, 60 mL)	0.02158			0.02076	
	R(D664-A:18e2 BEP, 60 mL)	0.0604			0.0581	
	compare					
	R(D664-A:18e2 BEP, 125 mL)	0.0290			0.0278	
	R(D664-A:18e2 IP, 60 mL)	0.0625				0.0615
	R(D664-A:18e2 IP, 125 mL)	0.0205				0.0200
	(23017.11002.11, 1201112)	3.0200				5.5250

Lab 1417 first reported 0.232 Lab 1569 first reported <0.01







## Determination of Color ASTM on sample #23072;

lab	method	reported test result	iis conversion *)	mark	z(targ)	remarks
178						
179						
225						
	D1500	L3.5	3.25		-0.14	
325	D6045	3.5	3.5		0.56	
	D1500	3.0	3.0		-0.84	
	D1500	3.74	3.74		1.23	
	ISO2049	3.0	3.0		-0.84	
432	.0020.0					
451						
	D1500	L3.5	3.25		-0.14	
	D1500	L3.5	3.25		-0.14	
	D1500	<3.5	3.25		-0.14	
	D1500	3.0	3.0		-0.84	
	D1500	3.5	3.5		0.56	
	D1500	L3.5	3.25		-0.14	
	D6045	3.4	3.4		0.28	
	D1500	L3.5	3.25		-0.14	
901	D1300		5.25		-0.14	
	D1500	<3.5	3.25		-0.14	
	D1500	L3.5	3.25		-0.14	
	D1500	L3.5	3.25		-0.14	
1023	D1300	L3.3 	3.23		-0.14	
	D1500		3.25		-0.14	
	D1300	L3,5			-0.14	
1094 1146						
	D1500				-0.14	
	D1500 D6045	L3.5	3.25			
		3.2	3.2		-0.28	
1431	D1500 D1500	3.5 3.5	3.5 3.5		0.56 0.56	
	D1500 D1500	3.0 3.5	3.0		-0.84 0.56	
			3.5	C D(0.05)		first reported E
	D1500	4	4	C,R(0.05)	1.96	first reported 5
	ISO2049	4.3	4.3	R(0.01)	2.80	
2124	In house	2.5	2.5		0.56	
	In house	3.5	3.5		0.56	
	D1500	<3.5	3.25		-0.14	
	D1500	3.5	3.5		0.56	
6286	D4500	0.05			0.44	
	D1500	3.25	3.25		-0.14	
6532						
			OK			
	normality		OK			
	n 41:		27			
	outliers		2			
	mean (n)		3.30			
	st.dev. (n)		0.185			
	R(calc.)		0.52			
	st.dev.(D1500:12R17)		0.357			
	R(D1500:12R17)		1			


<sup>\*)</sup> In the calculation of the mean, standard deviation and the reproducibility in this column, a reported value of 'L y' is changed tot y-0.25 (for example L3.5 into 3.25).






# Determination of Density at 15 °C on sample #23072; results in kg/L


lab	method	value	mark	z(targ)	remarks
178		0.8628		-0.86	
179					
225					
237	D4052	0.8631		0.82	
325	D4052	0.8629		-0.30	
331					
349	D4052	0.8632		1.38	
360	ISO12185	0.8630		0.26	
432	D4052	0.86294		-0.07	
451	D4052	0.8629		-0.30	
496	ISO12185	0.86318		1.27	
603	D4052	0.86290		-0.30	
614	D4052	0.8631		0.82	
633	D4052	0.8630		0.26	
657	D4052	0.86279		-0.91	
663	D4052	0.8628		-0.86	
840	D4052	0.86292		-0.18	
862	D4052	0.8630		0.26	
901	1001010-				
912	ISO12185	0.8629		-0.30	
963	D4052	0.8629		-0.30	
974	D4052	0.8629		-0.30	
1023	D4052	0.8628		-0.86	
1059	ISO12185	0.8630		0.26	
1094	D4052	0.86293		-0.13	
1146	D4052	0.8629		-0.30	
1262	D4052 IP365	0.8629		-0.30	
1417 1431		0.8630		0.26	
1431	D4052 D4052	0.862927 0.8629		-0.14 -0.30	
1569	ISO12185	0.8630		0.26	
1604	D1298	0.8634	R(0.05)	2.50	
1665	D4052	0.8632	11(0.00)	1.38	
1943	ISO3675	0.8631		0.82	
2124	1003073				
6002	ISO12185	0.8630		0.26	
6016	100 12 100				
6283	D4052	0.8629		-0.30	
6286	5.002				
6333	D7042	0.8627	С	-1.42	first reported 0.8634
6532					
	normality	OK			
	n	32			
	outliers	1			
	mean (n)	0.86295			
	st.dev. (n)	0.000120			
	R(calc.)	0.00034			
	st.dev.(ISO12185:96)	0.000179			
	R(ISO12185:96)	0.00050			






# Determination of Flash Point C.O.C. on sample #23072; results in °C


lab	method	value	mark z(targ)	remarks
178				
179				
225				
237	D92	230	-0.62	
325	D92	230	-0.62	
331	D92	238.0	0.63	
349	D92	232	-0.30	
360	D92	232	-0.30	
432				
451				
496				
603	D92	238	0.63	
614				
633	D92	234	0.01	
657	D92	230	-0.62	
663	D92	233	-0.15	
840	D92	234.0	0.01	
862	D92	240	0.94	
901				
912				
963	D92	234.0	0.01	
974	D92	234	0.01	
1023				
1059				
1094				
1146				
1262				
1417	D92	238	0.63	
1431	D92	244.4	1.62	
1435	D92	218.0	-2.48	
1569	D92	236	0.32	
1604				
1665				
1943	ISO2592	239	0.78	
2124				
6002	ISO2592	225.23	-1.36	
6016				
6283	D92	244.5	1.64	
6286	ISO2592	239	0.78	
6333	D92	224	-1.55	
6532				
	normality	OK		
	n	22		
	outliers	0		
	mean (n)	233.96		
	st.dev. (n)	6.348		
	R(calc.)	17.77		
	st.dev.(D92:18)	6.429		
	R(D92:18)	18		






# Determination of Flash Point PMcc on sample #23072; results in °C


lab	method	value	mark z(targ)	remarks
178	D93-A	223	1.23	
179				
225	D93-B	218.0	0.31	
237	D93-B	212.0	-0.78	
325	D93-A	217.0	0.13	
331	D93-A	218.8	0.46	
349	D93-A	221	0.86	
360	D93-A	216.0	-0.05	
432	D93-A	217.5	0.22	
451	D93-A	224	1.41	
496	D93-A	217	0.13	
603	D93-A	205	-2.06	
614	D93-A	206	-1.87	
633	D93-B	218.0	0.31	
657				
663	D93-A	215.5	-0.14	
840				
862	D93-A	212	-0.78	
901				
912				
963				
974	D93-A	216	-0.05	
1023	D93-A	215	-0.23	
1059	ISO2719-A	214.5	-0.32	
1094	D93-A	211.0	-0.96	
1146	D93-A	216.3	0.00	
1262				
1417	D93-A	224	1.41	
1431	D93-A	214.5	-0.32	
1435	D93-A	219.0	0.50	
1569	D93-A	216	-0.05	
1604	D93-A	215.3	-0.18	
1665	D93-A	216	-0.05	
1943	ISO2719-A	225	1.59	
2124	D93-A	220.2	0.72	
6002	ISO2719-A	213.93	-0.43	
6016	D93-B	222.5	1.13	
6283	D93-A	205.8	-1.91	
6286	B=00.4			
6333	D7094	215	-0.23	
6532				
		OK		
	normality	OK		
	n autliara	32		
	outliers	0		
	mean (n)	216.28		
	st.dev. (n)	4.962		
	R(calc.)	13.89		
	st.dev.(D93-A:20) R(D93-A:20)	5.484 15.36		
	N(D30-A.20)	13.30		






# Determination of Insoluble Color Bodies, membrane patch colorimetry on sample #23072;


lab	ua a t la a d	value		wa wa wika
lab	method	value	mark z(targ)	remarks
178 179				
225				
223				
325				
331	D7843	12.55	-0.12	
349	D1040	12.00	-0.12	
360				
432				
451	D7843	7.6	-1.22	
496				
603				
614				
633				
657	D7843	6.6	-1.44	
663	D7843	15.4	0.52	
840	D7843	13.3	0.05	
862	D7843	10.3	-0.62	
901	D7843	23.0	2.21	
912				
963 974				
1023				
1059	D7843	16.0	0.65	
1094	D7040	10.0		
1146				
1262				
1417				
1431				
1435	D7843	12.8	-0.06	
1569	D7843	11	-0.46	
1604				
1665	D7843	15.407	0.52	
1943	D7843	12.9	-0.04	
2124	D7040		4.00	
6002	D7843	8.5	-1.02	
6016 6283	D7843	 16.9	0.85	
6286	D1043	16.9	0.85	
6333	D7843	14	0.20	
6532	D7043		0.20	
0002				
	normality	suspect		
	n	15 ່		
	outliers	0		
	mean (n)	13.08		
	st.dev. (n)	4.129		
	R(calc.)	11.56		
	st.dev.(D7843:21)	4.490		
	R(D7843:21)	12.57		






# Determination of Kinematic Viscosity at 40 °C on sample #23072; results in mm<sup>2</sup>/s


lab	method	value	mark	z(targ)	remarks
178	D445	42.70	C,R(0.01)	-13.21	first reported 45.80
179	D443		0,11(0.01)	-10.21	mat reported 40.00
225	D445	44.60		-0.29	
237	D445	44.55		-0.63	
325	D445	44.50		-0.97	
331	D443			-0.31	
349	D445	44.63		-0.08	
360	ISO3104	44.657		0.10	
432	D445	44.58		-0.42	
451	D7279 corrected to D445	44.6		-0.29	
496	D445	44.658		0.11	
603	D7042	44.726		0.57	
614	D7042	44.83		1.28	
633	D445	44.68		0.26	
657	D443				
663	D445	44.56		-0.56	
840	D7042	44.798		1.06	
862	D445	44.60		-0.29	
901	D440			-0.25	
912	D445	44.66		0.12	
963	D445	44.654		0.12	
974	D445	44.58		-0.42	
1023	D445	44.53		-0.76	
1059	ISO3104	44.61		-0.22	
1094	D445	44.686		0.30	
1146	D445	44.696		0.37	
1262	D7042	44.50		-0.97	
1417	D445	44.56		-0.56	
1431	D7042	44.685	С	0.29	first reported 44.672
1435	D7042	44.846	· ·	1.39	
1569	D445	44.61		-0.22	
1604	D445	44.76		0.80	
1665	D445	44.47		-1.17	
1943	ISO3104	44.61		-0.22	
2124					
6002	ISO3104	44.7152		0.50	
6016	D7042	44.860		1.48	
6283	D7042	44.640		-0.01	
6286	ISO3104	44.66		0.12	
6333	D7042	44.4755		-1.13	
6532	D445	44.7		0.39	
	normality	OK			
	n	35			
	outliers	1			
	mean (n)	44.6422			
	st.dev. (n)	0.09944			
	R(calc.)	0.2784			
	st.dev.(D445:21e2)	0.14706			
	R(D445:21e2)	0.4118			






# Determination of Kinematic Viscosity at 100 °C on sample #23072; results in mm<sup>2</sup>/s


lab	method	value	mark	z(targ)	remarks
178	D445	6.91		-0.05	
179					
225	D445	6.934		1.13	
237	D445	6.911		0.00	
325	D445	6.909		-0.10	
331					
349	D445	6.913		0.10	
360	ISO3104	6.9378		1.32	
432	D445	6.905		-0.30	
451	D7279 corrected to D445	6.87		-2.02	
496	D445	6.9001		-0.54	
603	D7042	6.9283		0.85	
614	D7042	6.920		0.44	
633	D445	6.888		-1.13	
657					
663	D445	6.890		-1.04	
840	D7042	6.9139		0.14	
862	D445	6.890		-1.04	
901	B.445				
912	D445	6.976		3.20	
963	D445	6.870		-2.02	
974	D445	6.940		1.43	
1023 1059	D445	6.892 		-0.94 	
1039	D445	6.885		-1.28	
1146	D445	6.913		0.10	
1262	D7042	6.938		1.33	
1417	D445	6.881		-1.48	
1431	D7042	6.8662	С	-2.21	first reported 6.8419
1435	D7042	6.9805		3.42	
1569	D445	6.897		-0.69	
1604	D445	6.93		0.93	
1665	D445	6.914		0.15	
1943	ISO3104	6.90		-0.54	
2124					
6002	ISO3104	6.8851		-1.28	
6016	D7042	6.961		2.46	
6283	D7042	6.9121		0.05	
6286	D=0.40				
6333	D7042	6.8846		-1.30	
6532	D445	6.93		0.93	
	n o rmo olity	OK			
	normality	OK 34			
	n outliers	0			
	mean (n)	6.9110			
	st.dev. (n)	0.02810			
	R(calc.)	0.0287			
	st.dev.(D445:21e2)	0.02031			
	R(D445:21e2)	0.0569			
	/				






# Determination of Viscosity Index on sample #23072;


lab	method	value	mark	z(targ)	remarks
178	D2270	120	ex,C,E	12.10	fr 107; excluded as statistical outlier in KV 40 °C; iis calc 119
179	222.0		571, 5, 2		in ror, oxolation as stational station in rev. 10 °C, no state 1.10
225					
237	D2270	112		0.90	
325	D2270	112		0.90	
331					
349	D2270	111		-0.50	
360	ISO2909	112.2		1.18	
432	D2270	111.2		-0.22	
451					
496	ISO2909	110.7		-0.92	
603	D2270	111	E	-0.50	calculation difference, iis calculated 112
614					
633	D2270	110		-1.90	
657					
663	D2270	111		-0.50	
840	D2270	110.7		-0.92	
862	D2270	111		-0.50	
901					
912	D2270	114		3.70	
963	D2270	110		-1.90	
974	D2270	113		2.30	
1023					
1059					
1094	D0070				
1146	D2270	111		-0.50	
1262	D2270	113		2.30	
1417 1431	D2270	110	С	-1.90 -3.02	first reported 100 2
1431	D2270 D2270	109.2 113.09	C	-3.02 2.43	first reported 108.3
1569	D2270	113.09		-0.50	
1604	D2270	111.48		0.18	
1665	D2270	112.022		0.10	
1943	ISO2909	110.9		-0.64	
2124	1002000				
6002	ISO2909	109.86		-2.09	
6016	D2270	112.27		1.28	
6283	D2270	111.3		-0.08	
6286					
6333	D2270	111		-0.50	
6532	D2270	112		0.90	
	normality	OK			
	n	28			
	outliers	0 + 1ex			
	mean (n)	111.35			
	st.dev. (n)	1.106			
	R(calc.)	3.10			
	st.dev.(D2270:10R16)	0.714			
	R(D2270:10R16)	2			






# Determination of Oxidation Stability RPVOT on sample #23072; results in minutes


			D2272-A			D2272-B		
lab	method	value	mark	z(targ)	value	mark	z(targ)	remarks
178								
179								
225								
237								
325	D2272-A	1169		1.53				
331								
349								
360								
432								
451								
496								
603								
614	D2272-A	867		-2.01				
633								
657	D2272-B				1813		-0.15	
663								
840								
862	D2272-A	1132		1.10				
901	D2272-A	1020		-0.21				
912								
963								
974								
1023								
1059	D2272-B				1610		-1.49	
1094								
1146								
1262	D2272-A	893		-1.70				
1417								
1431	D2272-B				1871		0.23	
1435	D2272-A	1111		0.85				
1569	D2272-B				741	D(0.05)	-7.19	
1604								
1665	D2272-A	1300		3.07				
1943	D2272-B				1933		0.63	
2124								
6002	D2272-B				1628		-1.37	
6016	D2272-A	1262.43		2.63				
6283	D2272-A	590		-5.26				
6286								
6333	D2272-B				2164		2.15	
6532								
	normality	OK			unknown			
	n	9			6			
	outliers	0			1			
	mean (n)	1038.3			1836.5			
	st.dev. (n)	224.06			206.44			
	R(calc.)	627.4			578.0			
	st.dev.(D2272:22)	85.21			152.46			
	R(D2272:22)	238.6			426.9			



# Determination of Water on sample #23072; results in mg/kg

lab	method	value	mark z(targ)	remarks
178	D6304-B:16e1	20	-0.25	
179				
225				
237	D6304-C:16e1	16	-0.37	
325	D6304-C:20	<100		
331	D6304-C:20	23.75	-0.14	
349	D6304-A:20	31	0.08	
360	D6304-A:20	26.9	-0.04	
432				
451	D6304-B:20	48	0.60	
496	D6304-B:20	18.9	-0.28	
603	D6304-B:20	32	0.11	
614	D6304-B:20	28	-0.01	
633				
657	D6304-A:20	30.3	0.06	
663	D6304-B:20	40	0.35	
840	D6304-B:20	38.9	0.32	
862	D6304-A	26	-0.07	
901	D6304-A:20	24.3	-0.12	
912	D6304	31	0.08	
963	D6304-A:16e1	43	0.45	
974	D6304-A:20	38	0.29	
1023	D6304-A:16e1	31.1	0.09	
1059	D6304-B:20	<30		
1094	D6304-A:20	27	-0.04	
1146	D6304-B:20	<100		
1262	ISO760	19	-0.28	
1417	D6304-A:20	42	0.41	
1431	D6304-A:20	29.05	0.02	
1435	D6304-A:20	27.7	-0.02	
1569	D6304-C:16e1	24	-0.13	
1604	D6304-A:16e1	29	0.02	
1665	D6304-A:20	27.35	-0.03	
1943	EN60814	28.08	-0.01	
2124				
6002	ISO12937	18.88	-0.28	
6016	D6304-A:16e1	26.6	-0.05	
6283	D6304-A:16e1	30.5	0.07	
6286	ISO12937	25	-0.10	
6333	D6304-B:20	25	-0.10	
6532	ISO12937	7.173	-0.64	
	normality	OK		
	n	33		
	outliers	0		
	mean (n)	28.29		
	st.dev. (n)	8.294		
	R(calc.)	23.22		
	st.dev.(D6304-B:20)	33.058		00 0400 #
	R(D6304-B:20)	92.56		range 30 – 2100 mg/kg
	compare	04.00		00 05000
	R(D6304-A:20)	24.69		range 30 – 25000 mg/kg
	R(D6304-C:20)	16.15		range 20 – 360 mg/kg






# Determination of Water Separability at 54 °C, distilled water on sample #23072; results in minutes

	-	3 mL or less			-	complete break	•	test	time
lab	method	emulsion	z(targ)	37 mL of water	z(targ)	(40-40-0)	z(targ)	aborted	aborted
178									
179									
225									
237	D1401	20.6	-0.41	20.6	-0.46	28.0	-0.12	No	
325	D1401	26	0.35	26	0.30	30	0.16	No	30
331	D1401	30	0.91	30	0.86	30	0.16	No	
349									
360	D1401	28	0.63	31	1.00	34	0.72	No	
432	D4404								
451	D1401	25	0.21	25	0.16			N.	
496	D1401	25	0.21					No	
603 614									
633									
657								Yes	30
663								165	
840	D1401	15 C	-1.19	15 C	-1.24	25 C	-0.54	Yes	25 C
862	D1401	25	0.21	25	0.16			Yes	25
901	2								
912									
963									
974									
1023									
1059									
1094									
1146	D1401	26	0.35	26	0.30			Yes	26
1262	ISO6614	15	-1.19	15	-1.24	15 DG(0.05)	-1.94	Yes	15
1417	D1401	28	0.63	28	0.58	28	-0.12	No	
1431				25	0.16			No	30
1435		30	0.91	30	0.86			No	
1569									
1604 1665	D1401	 25	0.21	 25	0.16	30	0.16	No	
1943	D1401		0.21		0.10		0.10	INO	
2124									
6002	ISO6614	15.5	-1.12	15.5	-1.17	16.0 DG(0.05)	-1.80	No	16.0
6016	D1401	>30		>30		>30		Yes	30
6283	D1401	22.5	-0.14	22.5	-0.19	24.8	-0.57	Yes	24.8
6286	2								
6333	D1401	19.5	-0.56	22.3	-0.22	30.0	0.16	No	20
6532									
				•		·		•	-
	normality	OK		OK		OK			
	n	16		16		9			
	outliers	0		0		2			
	mean (n)	23.51		23.87		28.87			
	st.dev. (n)	5.036		5.162		2.839			
	R(calc.)	14.10		14.45		7.95			
	st.dev.(D1401:21)			7.143		7.143			
	R(D1401:21)	20		20		20			

Lab 840 first reported >30, >30, >30 and 30 respectively



# Determination of Water Separability at 54 °C, distilled water on sample #23072; results in mL

lab	method	volume oil phase	mark	volume water phase	mark	volume emulsion phase	mark
178							
179							
225							
237	D1401	40.0		40.0		0	
325	D1401	40		40		0	
331	D1401						
349							
360	D1401	42		38		0	
432							
451	D1401	40		37		3	
496	D1401	40		39		1	
603							
614							
633							
657		41		37		2	
663							
840	D1401	40	С	40	С	0	С
862	D1401	40		37		3	
901							
912							
963							
974							
1023							
1059							
1094							
1146		40		37		3	
	ISO6614	40		40		0	
1417	D1401	40		40		0	
1431		43		37		0	
1435							
1569							
1604							
1665	D1401	42		38		0	
1943							
2124	1000011						
	ISO6614	40		40		0	
	D1401	35		35		10	
6283	D1401	40		40		0	
6286	D4404	4.4					
6333	D1401	41		36		3	
6532							

Lab 840 first reported 0, 0 and 80 respectively

## Determination of Level of Contamination on sample #23072; results in counts/mL

lab	method	≥ 4 µm (c)	mark	z(targ)	≥ 6 µm (c)	mark	z(targ)	≥ 14 µm (c)	mark	z(targ)
178										
179										
225										
237										
325										
331										
349										
360	ISO4406	24002		-0.50	4725		-1.20	144		-0.97
432										
451	ISO11500	37014		0.58	11159		2.18	432		1.25
496	1004400		_	4.50		•			•	
603	ISO4406	11149	С	-1.56	816	С	-3.26	2	С	-2.06
614										
633	1004400	22000		0.50	4005		1.10			4.00
657	ISO4406	23929		-0.50	4805		-1.16	98		-1.32
663	D7647	20208 6	С	0.06	 6640 F	0	0.10	 0E2 4	_	0.13
840	D7647	29298.6	C	-0.06	6640.5	С	-0.19	253.1	С	-0.13
862	D7647	41972	ov C	0.99	9986	ov C	1.56	198	ov C	-0.55
901 912	D7647	372.5	ex,C	-2.45 	128.5	ex,C	-3.62	29.7	ex,C	-1.85
963										
974										
1023										
1059										
1094	D7647	38448.36		0.70	11315.54		2.26	483.60		1.64
1146	ISO11500	15775		-1.18	3708		-1.74	274		0.03
	ISO11500	32497	С	0.20	4797		-1.16	291		0.16
1417	In house	31928	· ·	0.16	8180		0.62	246		-0.18
1431		38364		0.69	11324		2.27	495		1.73
1435	ISO4407	35474.90		0.45	10557.57		1.87	575.77		2.35
1569	ISO11500	30662		0.05	7577		0.30	231		-0.30
1604	ISO4407	30711		0.06	5486		-0.80	131		-1.07
1665	D7647	33717		0.31	8360		0.71	419		1.15
1943										
2124										
6002	D7647	2201.4	ex,C	-2.30	634.2	ex,C	-3.35	78.3	ex,C	-1.47
6016	D7596	32782.1		0.23	6563.5		-0.23	215.5		-0.42
6283	ISO4407	37855.73		0.65	6602.53		-0.21	118.67		-1.16
6286	ISO11500	33329		0.27	8474		0.77	370		0.77
6333	D7596	11418.8	С	-1.54	2096.0	С	-2.58	150.9		-0.91
6532	ISO4407	222206	ex,C	15.86	34807	ex,C	14.61	274	ex,C	0.03
	n armality	OK			OK			OK		
	normality	OK 10			OK 10			OK		
	n outliers	19 0 + 3ex			19 0 + 3ex			19 0 + 3ex		
		30017.2			7009.1			269.9		
	mean (n) st.dev. (n)	8960.93			3097.33			155.08		
	R(calc.)	25090.6			8672.5			434.2		
	st.dev.(D7647:10R18)	12114.10			1902.47			130.14		
	R(D7647:10R18)	33919.5			5326.9			364.4		
	, 2 / 3 / / (0) (10)	300 10.0			3020.0					

Lab 603 reported the results in counts/mL as scale number; first reported 17833, 2239 and 13 scale number respectively


Lab 840 first reported 698.5, 138.8 and 16.4 respectively
Lab 901 first reported 557, 175 and 24 respectively; test results excluded as statistical outliers and excluded test result at related measurement for ISO4406 scale number

Lab 1262 first reported 12497

Lab 6002 first reported 775.82, 201.85 and 22.38 respectively; test results excluded as statistical outliers and excluded test result at related measurement for ISO4406 scale number

Lab 6333 first reported 10778.6 and 1685.8 respectively

Lab 6532 first reported 222206, 34807 and 274 respectively; test results excluded as results in counts/mL and ISO4406 scale number did not match




## Determination of Level of Contamination on sample #23072; results in ISO4406 scale numbers

lab	method	≥ 4 µm (c)	mark	z(targ)	≥ 6 µm (c	) mark	z(targ)	≥ 14 µm (c)	mark	z(targ)
178										
179										
225										
237										
325										
331										
349										
360	ISO4406	22		0.08	19		-2.10	14		-1.54
432										
451	ISO4406	22		0.08	21		2.57	16		1.26
496										
603										
614										
633										
657	ISO4406	22		0.08	19		-2.10	14		-1.54
663										
840	ISO4406	22	С	0.08	20	С	0.23	15	С	-0.14
862	D7647	23	•	1.73	20	· ·	0.23	15	•	-0.14
901	ISO4406	16	G(0.01)	-9.80	14	C,G(0.01)	-13.77	12	ex	-4.34
912	1001100		3(0.01)			0,0(0.01)			O.A.	
963										
974										
1023	ISO4406	22		0.08	20		0.23	15		-0.14
1059	1001100									
1094	ISO4406	22		0.08	21		2.57	16		1.26
1146	ISO11500	21		-1.56	19		-2.10	15		-0.14
1262	ISO4406	22	С	0.08	19		-2.10	15		-0.14
1417	ISO4406	22	O	0.08	20		0.23	15		-0.14
1431	ISO4406	22		0.08	21		2.57	16		1.26
1435	ISO4406	22		0.08	21		2.57	16		1.26
1569	ISO11500	22		0.08	20		0.23	15		-0.14
1604	ISO4406	22		0.08	20		0.23	14		-1.54
1665	ISO4406	22		0.08	20		0.23	16		1.26
1943	1004400	22		0.08	20		0.23	16		1.26
2124							0.20			
6002	D7647	18	C,G(0.01)	-6.51	16	C,G(0.01)	-9.10	13	ex,C	-2.94
6016	D7596	22	0,0(0.01)	0.08	20	0,0(0.01)	0.23	15	CX,C	-0.14
6283	D7390	22		0.08	20		0.23	14		-1.54
6286	ISO4406	22		0.08	20		0.23	16		1.26
6333	ISO4406	21		-1.56	18		-4.43	14		-1.54
6532	ISO4406	22	ov	0.08		ex,C	-4.43 -2.10		ex,C	-4.34
0332	1304400	22	ex	0.00	19	ex,C	-2.10	12	ex,c	-4.54
	normality	not OK			OK			OK		
	n	20			20			20		
	outliers	2 + 1ex			2 + 1ex			0 + 3ex		
	mean (n)	22.0			19.9			15.1		
	st.dev. (n)	0.39			0.79			0.79		
	R(calc.)	1.1			2.2			2.2		
	st.dev.(D7647:10R18)	0.61			0.43			0.71		
	R(D7647:10R18)	1.7			1.2			2.0		
	11(01041.101110)	1.1			1.4			2.0		

Lab 840 first reported 17, 14 and 11 respectively
Lab 901 first reported 15; test result excluded because of two statistical outliers at related parameters for ISO4406 scale numbers
Lab 1262 first reported 21

Lab 6002 first reported 17,15 and 12 respectively; test result excluded because of two statistical outliers at related parameters for ISO4406 scale numbers

Lab 6532 first reported 20 and 15 respectively; test results excluded as results in counts/mL and ISO4406 scale number did not match



#### **APPENDIX 2**

## Number of participants per country

- 2 labs in AUSTRALIA
- 1 lab in AUSTRIA
- 2 labs in BELGIUM
- 2 labs in BULGARIA
- 1 lab in CHINA, People's Republic
- 1 lab in COTE D'IVOIRE
- 2 labs in FRANCE
- 1 lab in GERMANY
- 1 lab in GREECE
- 1 lab in INDIA
- 2 labs in ITALY
- 1 lab in KAZAKHSTAN
- 1 lab in LATVIA
- 1 lab in MALAYSIA
- 1 lab in NETHERLANDS
- 1 lab in NIGERIA
- 1 lab in NORWAY
- 1 lab in PHILIPPINES
- 3 labs in POLAND
- 1 lab in SAUDI ARABIA
- 1 lab in SINGAPORE
- 1 lab in SLOVENIA
- 4 labs in SPAIN
- 1 lab in THAILAND
- 1 lab in TURKEY
- 1 lab in UNITED ARAB EMIRATES
- 2 labs in UNITED KINGDOM
- 2 labs in UNITED STATES OF AMERICA
- 1 lab in VIETNAM

#### **APPENDIX 3**

#### **Abbreviations**

C = final test result after checking of first reported suspect test result

 $\begin{array}{ll} D(0.01) &= \text{outlier in Dixon's outlier test} \\ D(0.05) &= \text{straggler in Dixon's outlier test} \\ G(0.01) &= \text{outlier in Grubbs' outlier test} \\ G(0.05) &= \text{straggler in Grubbs' outlier test} \\ DG(0.01) &= \text{outlier in Double Grubbs' outlier test} \\ DG(0.05) &= \text{straggler in Double Grubbs' outlier test} \\ \end{array}$ 

R(0.01) = outlier in Rosner's outlier test R(0.05) = straggler in Rosner's outlier test

E = calculation difference between reported test result and result calculated by iis

W = test result withdrawn on request of participant ex = test result excluded from statistical evaluation

n.a. = not applicable
n.e. = not evaluated
n.d. = not detected
fr. = first reported

f+? = possibly a false positive test result? f-? = possibly a false negative test result?

SDS = Safety Data Sheet

#### Literature

- iis Interlaboratory Studies, Protocol for the Organisation, Statistics & Evaluation, June 2018
- 2 ISO5725:86
- 3 ISO5725 parts 1-6:94
- 4 ISO13528:05
- 5 M. Thompson and R. Wood, J. AOAC Int, <u>76</u>, 926, (1993)
- 6 W.J. Youden and E.H. Steiner, Statistical Manual of the AOAC, (1975)
- 7 P.L. Davies, Fr. Z. Anal. Chem, <u>331</u>, 513, (1988)
- 8 J.N. Miller, Analyst, <u>118</u>, 455, (1993)
- 9 Analytical Methods Committee, Technical Brief, No 4, January 2001
- 10 P.J. Lowthian and M. Thompson, The Royal Society of Chemistry, Analyst, <u>127</u>, 1359-1364, (2002)
- 11 W. Horwitz and R. Albert, J. AOAC Int, <u>79.3</u>, 589-621, (1996)
- Bernard Rosner, Percentage Points for a Generalized ESD Many-Outlier Procedure, Technometrics, 25(2), 165-172, (1983)