

Instructions to participants for the interlaboratory study on PFOA/PFOS in Textile iis17A05

- * Please **confirm sample receipt** as soon as you have received this package and checked the contents, via www.kpmd.co.uk/sgs-iis-cts/. Please give date of receipt and press "save date" button. Please inform the Institute for Interlaboratory Studies (iis) immediately when something is wrong with the package and/or samples via iisnl@sgs.com.
- * This interlaboratory study concerns 2 different samples of textile, sample #17535 (cotton) and sample #17536 (cotton). Both samples are meant for the determination of PFOA and PFOS. You received approx. 3 grams of each sample.
You can check the test scope for both samples in round iis17A05 via www.kpmd.co.uk/sgs-iis-cts/.
- * Please **treat the samples as they were routine samples** and analyse them in the way you normally do in day-to-day circumstances.
- * Each laboratory is advised to analyse only those components you routinely analyse (but you are allowed to do all components if you like). **Please note, to ensure the homogeneity, do not use less than 0.5 gram per determination.**
- * **Reporting of test results**
Within a time frame of five weeks test results can be entered or revised. Please **report your test results** via www.kpmd.co.uk/sgs-iis-cts/. It is not necessary to enter all test results in one session. Within the time frame you can add (or delete) test results and/or change test results or units. Please **do not forget** to hit the "Save/Submit" button after entering the test results. Please note that you will get a pop up to say that you have submitted your test results. You can check if your test results have been saved by logging out and logging in again. When your test results are still present it means that everything is OK and that your test results are received in good order.
- * For the determination of PFOA and PFOS in textile, method CEN/TS15968 could be used as test method. It is of utmost importance to know that it is **NOT mandatory** to use CEN/TS15968 as test method. Please use the method you normally (routinely) use and select in the column "Actual Method Used" the selection "Other" and write the method that you used in the comments. Since regulatory limits are sometimes expressed based on the area of the textile and sometimes on the weight of the textile, it is possible to report an area-based result in $\mu\text{g}/\text{m}^2$ and/or a weight-based result in mg/kg. Please report in the unit you would normally (routinely) do.
- * Please report the analytical results using the indicated units. It is possible to report in the last column the analytical results rounded in accordance with the standard method that was used and in the first result column the same analytical results but less rounded. Please note that it is not mandatory to report both 'rounded' and 'unrounded' test results. The 'unrounded' test results are preferably used for our statistical evaluations. However the 'rounded' test results will be used in case the 'unrounded' test results are not reported. We suggest to report one extra significant figure in order to give more meaningful statistical calculations. For example, when you find a result of 7.2153 mg/kg for PFOA, we request you to report 7.2153 mg/kg as 'unrounded' result and 7.2 or 7 mg/kg as "rounded" result.
- * It was also requested not to report 'less than' results, which are above the detection limit, because such results cannot be used for meaningful statistical calculations.
- * Please complete the additional questions.
- * **The official closing date for reporting test results for this PT is April 14, 2017**
- * After the official closing date it is no longer possible to enter or correct test results via the data entry website www.kpmd.co.uk/sgs-iis-cts/. When you cannot report via the website or for unforeseen reasons cannot report before the closing date, please inform the Institute for Interlaboratory Studies (iis).
- * **For all communication (e.g. problems with the package/samples, login details for the data entry portal, not reporting in time) or any remarks/questions please contact:**
ing. R.J. Starink, Institute for Interlaboratory Studies (iis)
P.O. box 200, NL-3200 AE Spijkensisse, The Netherlands
tel.no. +31 181 69 45 41 / fax.no. +31 181 69 45 43
e-mail: iisnl@sgs.com / website: www.iisnl.com