

Instructions to participants for the interlaboratory study on SCCP/MCCP in polymer, total iis17P05

- * Please **confirm sample receipt** as soon as you have received this package and checked the contents, via www.kpmd.co.uk/sgs-iis-cts/. Please give date of receipt and press "save date" button. Please inform the Institute for Interlaboratory Studies (iis) immediately when something is wrong with the package and/or samples via iisnl@sgs.com.
- * This interlaboratory study concerns 2 different samples of polymer labelled #17570 (purple colored PVC) and #17571 (red colored PVC granulate) for the determination of total SCCP (C₁₀-C₁₃ chloroparaffins, CAS No. 85535-84-8) and total MCCP (C₁₄-C₁₇ chloroparaffins, CAS No. 85535-85-9). You received approx. 3 grams per sample.
You can check the test scope for both samples in round iis17P05 via www.kpmd.co.uk/sgs-iis-cts/.
- * Please **treat the samples as if they were routine samples** and analyse them in the way you normally do in day-to-day circumstances.
- * **Please note, to ensure the homogeneity, do not use less than 0.5 grams per determination.**
- * **Reporting of test results**
Within a time frame of five weeks the test result can be entered or revised. Please **report your test result** via www.kpmd.co.uk/sgs-iis-cts/. Within the time frame you can add (or delete) the test result and/or change test result or unit. Please **do not forget** to hit the "Save/Submit" button after entering the test result. Please note that you will get a pop up to say that you have submitted your test result. You can check if your test result has been saved by logging out and logging in again. When your test result is still present it means that everything is OK and that your test result is received in good order.
- * For the determination of SCCP/MCCP in polymer, please use the method you normally (routinely) use. Please select under "Actual Method Used" the method that you used. When your method is not mentioned under "Actual Method Used", please select "Other" and place in the comments the method that you used.
- * Please report the analytical results using the indicated units. It is possible to report in the last column the analytical results rounded in accordance with the standard method that was used and in the first result column the same analytical results but less rounded. Please note that it is not mandatory to report both 'rounded' and 'unrounded' test results. The 'unrounded' test results are preferably used for our statistical evaluations. However the 'rounded' test results will be used in case the 'unrounded' test results are not reported. We suggest to report one extra significant figure in order to give more meaningful statistical calculations. For example, when you find a result of 545.3157 mg/kg for total SCCP, we request you to report 545.3157 mg/kg as 'unrounded' result and for example 545.316 mg/kg as "rounded" result.
- * It was also requested not to report 'less than' results, which are above the detection limit, because such results cannot be used for meaningful statistical calculations.
- * To get more background of the analytical method we asked some additional questions. Please, complete these questions as much as possible. It will help us to evaluate the results of the proficiency test. Thank you in advance.
- * **The official closing date for reporting test results for this PT is May 26, 2017**
- * After the official closing date it is no longer possible to enter or correct test results via the data entry website www.kpmd.co.uk/sgs-iis-cts/. When you cannot report via the website or for unforeseen reasons cannot report before the closing date, please inform the Institute for Interlaboratory Studies (iis).
- * **For all communication (e.g. problems with the package/samples, login details for the data entry portal, not reporting in time) or any remarks/questions please contact:**
ing. R.J. Starink, Institute for Interlaboratory Studies (iis)
P.O. box 200, NL-3200 AE Spijkenisse, The Netherlands
tel.no. +31 181 69 45 41 / fax.no. +31 181 69 45 43
e-mail: iisnl@sgs.com / website: www.iisnl.com